

# ASW

ASW Lautsprecher GmbH

experience music naturally



## GENIUS 210

### Technical specifications

|                       |  |
|-----------------------|--|
| Network:              | 18 / 6 dB impedance - linearizes                                   |
| Woofer:               | 2 x 150 mm natural wood fiber membran / Titan voice coil           |
| Tweeter:              | 25 mm Ceramic tweeter  |
| Continuous power RMS: | 120 Watts  |
| Maximum power hdl.:   | 180 Watts  |
| Frequency range:      | 50 - 30.000 Hz   |
| Sensitivity:          | (2,83 V/m):90 dB   |
| Cutting frequency:    | 2000 Hz  |
| Suitable for ampl:    | 4 - 8 Ohms   |
| Impedance:            | 4 Ohms   |
| Weight:               | 12,5 kg  |
| Size:                 | height: 430 mm / width:180 mm / depth: 275 mm                      |
| Cabinet finish:       | realwood / egshell / high glossy / strutet and interlocked cabinet |



**Neodym  
natural wood  
fiber membran**

## GENIUS LINE


ASW is presenting a complete new developed Speaker series. All integrated materials of the new Genius series are based on qualitative criteria. High End technics combined with aesthetic and timeless design fuse to a harmonic one. Unbelievable bass experiences never expected by a speaker size like this and lively high frequency up to 30.000 Hz are building a spectrum of sound that enchants your senses and brings an illusion of a concert hall to your mind.



The tweeters of the new Genius product line has a leading-edge transducer technology packaged in cutting edge, stylistic designs. The finite element analysis designed a high power, high performance ceramic (neodymium-iron-boron NdFeB) motor that provides high output in a small footprint. The voice coils provide large linear motion and low distortion, ensuring a wide smooth frequency response that also reproduces low-level details in music. Copper caps in the motor system create a high frequency extension and lower intermodulation distortion. An aluminum rear chamber provides a very low resonance that provides very flexible system design capabilities, by keeping the resonance of the tweeter well below the tweeter crossover frequency.



The full-range drivers used in the new Genius series feature an innovative sculpted, open cast aluminum basket design that minimizes internal acoustic reflections. These bass drivers are built with natural wood-fibre cone and dust cap with proprietary coating formulas & processes yielding high clarity products. The Penta-cut NRSC technology minimizes frequency response problems associated with cone resonances. New Spider technology based on advanced geometry and materials offer excellent consistency and durability. A newly designed motor with Copper Caps creates high frequency extension and lower intermodulation distortion. The motors on the woofer models are vented NDFeB with heat sinks built in to frames – high force factors and excellent power handling.



The cabinet of the new Genius speakers are reinforced and strutted to reduce possible resonances of the cabinet and to avoid only the generated frequencies as wished.

Beside the clean and timeless design the cabinet maintained also the correct radiations.

One of ASW biggest advantage is the possibility to choose out of more then 15 different lacquers and veneers. This is of course also typical for the new Genius series.

**ASW Lautsprecher GmbH**  
**Rentmeisterskamp 26, 48691 Vreden**  
**Phone +49 2567 / 3434 , Fax: +49 2567 / 633**  
**E-Mail: [info@asw-loudspeaker.com](mailto:info@asw-loudspeaker.com)**  
**Internet: <http://www.asw-loudspeaker.com>**